



Order form

# Bodilink® head support



Dealer Name\*:

Account #\*:

City, State, Zip\*:

Phone:

Email:

ATP:

Rep Name:

P.O. Number:

Quote Number:

Client Reference\*:

Client Weight\*:

**\*Required field**

Special considerations that need to be addressed here (e.g., diagnosis):

**NOTE** | Refer to reference page at end of order form for additional information and images.

## Basic head support pad options

*Must select pad size and cover option.*

### Pad size

BL-HSP3-6W5L	6"W x 5"L	\$147.00	E0955
BL-HSP3-8W5L	8"W x 5"L	\$147.00	E0955
BL-HSP3-10W6L	10"W x 6"L	\$147.00	E0955
BL-HSP3-12W6L	12"W x 6"L	\$147.00	E0955
BL-HSP3-14W6L	14"W x 6"L	\$147.00	E0955
BL-HSP3-18W6L	18"W x 6"L	\$147.00	E0955

**Cover options** | *Required, choose one.*

COMFORT-TEK®	<b>COMFORT-TEK®</b> <i>For fluid protection &amp; an easily cleaned surface</i>	NC
STRETCH-AIR®	<b>STRETCH-AIR®</b> <i>For comfort &amp; heat dissipation</i>	NC

## Premium head support pad options

Must select pad size, foam and cover option.

### Pad size and foam selection

Pad size	Soft	Extra soft		
6"W x 3"L	BL-HSP1-6W3L	BL-HSP2-6W3L	\$269.00	E0955
8"W x 4"L	BL-HSP1-8W4L	BL-HSP2-8W4L	\$269.00	E0955
10"W x 5"L	BL-HSP1-10W5L	BL-HSP2-10W5L	\$269.00	E0955
12"W x 5"L	BL-HSP1-12W5L	BL-HSP2-12W5L	\$269.00	E0955
14"W x 5"L	BL-HSP1-14W5L	BL-HSP2-14W5L	\$269.00	E0955
18"W x 5"L	BL-HSP1-18W5L	BL-HSP2-18W5L	\$269.00	E0955

### Cover options | Required, choose one.

COMFORT-TEK	<b>COMFORT-TEK</b> For fluid protection & an easily cleaned surface	NC
STRETCH-AIR	<b>STRETCH-AIR</b> For comfort & heat dissipation	NC
GLIDE-WEAR	<b>GlideWear®</b> For skin protection & shear reduction. NOT fluid resistant	\$30.00

## Hardware options

Required, choose one.

### GT hardware, removable

BL-HS-GT3RMLAT	<b>Lateral</b>	\$260.00	E1028
BL-HS-GT3RMMID	<b>Mid-line</b>	\$218.00	E1028

### PT hardware, removable

BL-HS-PT1RMMID6	<b>Mid 6</b>	\$254.00	E1028
BL-HS-PT1RMLAT6	<b>Lat 6</b>	\$295.00	E1028
BL-HS-PT1RMMID8	<b>Mid 8</b>	\$254.00	E1028
BL-HS-PT1RMLAT8	<b>Lat 8</b>	\$295.00	E1028
BL-HS-PT1RMMAX8	<b>Max 8</b>	\$372.00	E1028

### Stem length option | Must select when choosing removable PT hardware.

HS-STEM-7	<b>Standard 7"</b>	NC
HS-STEM-3	<b>3" stem</b>	NC

### PT hardware, flip down | Includes 7" stem.

BL-HS-PT1FDMID6	<b>Mid 6</b>	\$310.00	E1028
BL-HS-PT1FDLAT6	<b>Lat 6</b>	\$353.00	E1028
BL-HS-PT1FDMID8	<b>Mid 8</b>	\$310.00	E1028
BL-HS-PT1FDLAT8	<b>Lat 8</b>	\$353.00	E1028
BL-HS-PT1FDMAX8	<b>Max 8</b>	\$405.00	E1028

## Mounting hardware options

*Required, choose one.*

### Mounting option

HS-MB-POSTA	Posterior A	NC
HS-MB-POSTB	Posterior B	NC
HS-MB-ANTA	Anterior A	NC
HS-MB-PW2A	Permobil A	\$101.00
HS-MB-PW2B	Permobil B	\$101.00
HS-MB-PW1A	Quantum A	\$101.00
HS-MB-AR14W	Acta-Relief 14W	\$84.00
HS-MB-AR16W	Acta-Relief 16W	\$84.00
HS-MB-AR18W	Acta-Relief 18W	\$84.00
HS-MB-AR20W	Acta-Relief 20W	\$84.00

## Additional hardware options

*Optional, priced per selection.*

Extra link for PT hardware	Extra 2" link (BL-HS-PT1LINK2)	Extra 3" link (BL-HS-PT1LINK3)	\$65.00
	Extra 4" link (BL-HS-PT1LINK4)		
BL-HS-52WINGA1	Tool-less wing lock for PT hardware <i>Entered desired number</i>		\$25.00
BL-HS-SPCRA	1/4 spacer plate		\$43.00

## Extra mounting hardware options

*Optional*

BL-HS-MBPOSTA	Posterior A	\$60.00
BL-HS-MBPOSTB	Posterior B	\$60.00
BL-HS-MBANTA	Anterior A	\$60.00
BL-HS-MBPW2A	Permobil A	\$103.00
BL-HS-MBPW2B	Permobil B	\$103.00
BL-HS-MBPW1A	Quantum A	\$103.00
BL-HS-AR14W	Acta-Relief 14W	\$173.00
BL-HS-AR16W	Acta-Relief 16W	\$173.00
BL-HS-AR18W	Acta-Relief 18W	\$173.00
BL-HS-AR20W	Acta-Relief 20W	\$173.00

## Additional Order Instructions (for Permobil):

## Notes & Comments (not for Permobil):

## Chair Order Policy:

You are highly encouraged to contact Permobil Sales with ANY questions regarding proper completion of our order forms at 1-800-736-0925. The order cannot be processed without the following:

- The client's name or code and the client's weight
- The order form must also be signed by a person authorized by your company to acknowledge the items selected. Permobil is not responsible for configuration or size discrepancies resulting from customer errors on the order form.
- Order confirmations will be provided by Permobil summarizing the items selected. Please review this carefully.
- Once the order is shipped, any changes are subject to the returns policy and may be prohibited.

## Order Acknowledgement:

I, \_\_\_\_\_, am an agent of the medical equipment provider named on this order form and I have the authority to contract for the purchase of powered wheelchairs and related parts on behalf of said provider. I acknowledge that I have reviewed this order and that it is complete and accurate to the best of my knowledge. I further acknowledge that any changes to this order after submission of this order form are subject to the returns policy and may carry additional charges.

Signed: \_\_\_\_\_

Printed Name: \_\_\_\_\_

Title: \_\_\_\_\_


Date: \_\_\_\_\_

*NOTE: All specifications and prices are subject to change without notice. Please note that prices displayed are only valid if ordered with the wheelchair. Any parts ordered for service or future alterations will carry different pricing and warranty. The HCPCS codes provided are not intended to be billing or legal advice, rather our interpretation of the code definitions. Use of the codes does not ensure coverage or payment for the item. For coverage information, verify the policy of the appropriate payer.*

## References

### Section 1 | Basic pad option

#### Pad size




Length(L) refers to the actual dimension of the support from bottom to top edge



Basic head support pads can be formed to any shape using the moldable steel insert inside the pad.

### Section 2 | Premium pad options

#### Pad size



Length(L) refers to the actual dimension of the support from bottom to top edge



Premium head support pad angles can be formed by adjusting the plates in the pad

### Section 3 | Hardware options

#### GT hardware, removable

##### Range of motion

GT model	Total # of links	Total link length	Max. anterior reach	Max. posterior reach	Max. lateral reach
LAT	5	10.5"	10"	2"	7.5"
MID	3	8.5"	8"	2"	N/A

GT hardware, LATERAL



GT hardware, MID-LINE




#### PT hardware, removable


##### Range of motion

PT model	Total # of links	Total link length	Max. anterior reach	Max. posterior reach	Max. lateral reach
MID 6	2	6"	5.5"	1"	N/A
LAT 6	3	6"	5.5"	1"	6"
MID 8	2	8"	7.5"	1"	N/A
LAT 8	3	8"	7.5"	1"	8"
MAX 8	4	8"	7.5"	3"	8"


PT hardware, MID 6




PT hardware, MID 8



PT hardware, LAT 6



PT hardware, LAT 8



PT hardware, MAX 8




#### PT hardware, removable stem length option

3" stem is recommended for use with power mounting where there may be special constraints with power chair functions



PT stem, 3"




#### Note:

Mid and Lat 8 hardware is recommended for Acta-Relief back supports


Max 8 hardware provides the greatest amount of articulation and range of motion

Section 4 | Head support mounting options


Mounting options




**Mounting block posterior A or B**  
**A:** For Acta-Back®, Acta-Embrace™, Visco-Back, and Acta-Relief with Power Mount Only  
**B:** For Radius Back® or OEM wood/t-nut back supports




**Mounting block anterior A**  
For AGILITY and other OEM back supports




**Mounting block Permobil A**  
For Permobil Corpus 3G Back Supports (23"-28"H)




**Mounting block Quantum A**  
For Quantum Tru-Comfort back supports



**Mounting block Permobil B**  
For Permobil Corpus 3G Back Supports (20"H)




1/4" spacer plate



**Bracket with mounting block-ACTA-RELIEF™**  
18W Shown Above For Non-Power Mount Only.

Section 5 | Hardware

Extra links: 2", 3", 4"



Tool-less wing lock

